



## Special Offer

Date: Feb 15, 2017

### Notices :

a.) Non-RoHS unit

b.) Please contact our sales dept. ( [sales@sunpower.com.tw](mailto:sales@sunpower.com.tw) ) for quotation, warranty, specification and stock quantity...etc. of PSU

Input	Voltage	Type	Output	Model No.	Watter	Max. Load	Dimension(mm)	Stock	Safety (UL)
AC-DC	100~240V	Enclosed	Single	SPS-025-3.3	20W	3.3V 6A	79 x 50.8 x 28.5	3	V
AC-DC	100~240V	Enclosed	Single	SPS-025-24	25W	24V 1.1A	79 x 50.8 x 28.5	1	V
AC-DC	100~240V	Enclosed	Single	SPS-025-30	25W	30V 0.9A	79 x 50.8 x 28.5	1	V
AC-DC	100~240V	Enclosed	Single	SPS-035-3.3	30W	3.3V 9A	99 x 82 x 35	2	V
AC-DC	100~240V	Enclosed	Single	SPS-035-05	35W	5V 7A	99 x 82 x 35	1	V
AC-DC	100~240V	Enclosed	Single	SPS-035-7.5	35W	7.5V 4.7A	99 x 82 x 35	56	V
AC-DC	100~240V	Enclosed	Single	SPS-035-15M	35W	18V 2A	99 x 82 x 35	10	V
AC-DC	100~240V	Enclosed	Single	SPS-035-24	36W	24V 1.5A	99 x 82 x 35	1	V
AC-DC	100~240V	Enclosed	Single	SPS-035-48	36W	48V 0.75A	99 x 82 x 35	16	V
AC-DC	100~240V	Enclosed	Single	SPS-050-05	50W	5V 10A	99 x 82 x 35	2	V
AC-DC	100~240V	Enclosed	Single	SPS-060-3.3	50W	3.3V 15A	159 x 95 x 38	8	V
AC-DC	100~240V	Enclosed	Single	SPS-060P3.3	50W	3.3V 15A	159 x 95 x 38	217	V
AC-DC	100~240V	Enclosed	Single	SPS-070-12	72W	12V 6A	159 x 95 x 38	4	V
AC-DC	100~240V	Enclosed	Single	SPS-070-15	72W	15V 4.8A	159 x 95 x 38	1	V
AC-DC	100~240V	Enclosed	Single	SPS-070-24	72W	24V 3A	159 x 95 x 38	23	V
AC-DC	100~240V	Enclosed	Single	SPS-070P12	72W	12V 6A	159 x 95 x 38	102	V
AC-DC	100~240V	Enclosed	Single	SPS-070P15	72W	15V 4.8A	159 x 95 x 38	143	V
AC-DC	100~240V	Enclosed	Single	SPS-070P24	72W	24V 3A	159 x 95 x 38	1	V
AC-DC	100~240V	Enclosed	Single	SPS-070P48	72W	48V 1.5A	159 x 95 x 38	95	V
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-075-7.5	75W	5V 15A	159 x 95 x 38	25	
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-075-12	75W	12V 6.3A	159 x 95 x 38	1	
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-075-18	75W	18V 4.2A	159 x 95 x 38	34	
AC-DC	100~240V	Enclosed	Single	SPS-075-24	76.8W	24V 3.2A	159 x 95 x 38	5	
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-075-48	76.8W	48V 1.6A	159 x 95 x 38	56	
AC-DC	100~240V	Enclosed	Single	SPS-100-05	100W	5V 20A	198 x 95 x 38	11	V
AC-DC	100~240V	Enclosed	Single	SPS-100-12	102W	12V 8.5A	198 x 95 x 38	1	V
AC-DC	100~240V	Enclosed	Single	SPS-100P05	100W	5V 20A	198 x 95 x 38	148	V
AC-DC	100~240V	Enclosed	Single	SPS-100P12	102W	12V 8.5A	198 x 95 x 38	26	V
AC-DC	100~240V	Enclosed	Single	SPS-100P15	102W	15V 6.8A	198 x 95 x 38	18	V
AC-DC	100~240V	Enclosed	Single	SPS-100P24Q	100W	28V 3.6A	198 x 95 x 38	32	V



## Special Offer

Date: Feb 15, 2017

### Notices :

a.) Non-RoHS unit

b.) Please contact our sales dept. ( [sales@sunpower.com.tw](mailto:sales@sunpower.com.tw) ) for quotation, warranty, specification and stock quantity...etc. of PSU

Input	Voltage	Type	Output	Model No.	Watter	Max. Load	Dimension(mm)	Stock	Safety (UL)
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-110-05	110W	5V 22A	198 x 95 x 38	1	
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-110-7.5	110W	7.5V 14.7A	198 x 95 x 38	16	
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-110-12	110W	12V 9.2A	198 x 95 x 38	28	
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-110-15	112W	15V 7.5A	198 x 95 x 38	20	
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-110-18	112W	18V 6.2A	198 x 95 x 38	0	
AC-DC	100~240V	Enclosed	Single	SPS-110-24	110W	24V 4.6A	198 x 95 x 38	1	
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-110-28	112W	28V 4A	198 x 95 x 38	35	
AC-DC	85~132VAC 170~264VAC	Enclosed	Single	SPS-110-48	110W	48V 2.3A	198 x 95 x 38	23	
AC-DC	100~240V	Enclosed	Single	SPS-120P-05	100W	5V 20A	178 x 99 x 35	26	V
AC-DC	100~240V	Enclosed	Single	SPS-120P-7.5	120W	7.5V 16A	178 x 99 x 35	47	V
AC-DC	100~240V	Enclosed	Single	SPS-120P-12	120W	12V 10A	178 x 99 x 35	8	V
AC-DC	100~240V	Enclosed	Single	SPS-120P-48	120W	48V 2.5A	178 x 99 x 35	10	V
AC-DC	100~240V	Enclosed	Single	SPS-150P-3.3	100W	3.3V 30A	198 x 99 x 50	12	V
AC-DC	100~240V	Enclosed	Single	SPS-150P-15	150W	15V 10A	198 x 99 x 50	25	V
AC-DC	100~240V	Enclosed	Single	SPS-150P-24	150W	24V 6.3A	198 x 99 x 50	2	V
AC-DC	100~240V	Enclosed	Single	SPS-150P-27	150W	27V 5.6A	198 x 99 x 50	21	V
AC-DC	100~240V	Enclosed	Single	SPS-151P-3.3	100W	3.3V 30A	198 x 99 x 38	7	V
AC-DC	100~240V	Enclosed	Single	SPS-151P-05	150W	5V 30A	198 x 99 x 38	46	V
AC-DC	100~240V	Enclosed	Single	SPS-151P-15	150W	15V 10A	198 x 99 x 38	8	V
AC-DC	100~240V	Enclosed	Single	SPS-151P-24	150W	24V 6.3A	198 x 99 x 38	16	V
AC-DC	100~240V	Enclosed	Single	SPS-151P-27	150W	27V 5.6A	198 x 99 x 38	1	V
AC-DC	100~240V	Enclosed	Single	SPS-151P-48	150W	48V 3.2A	198 x 99 x 38	19	V
AC-DC	88~132VAC 175~264VAC	Enclosed	Single	SPS-170P05	150W	5V 30A	198 x 99 x 50	2	
AC-DC	88~132VAC 175~264VAC	Enclosed	Single	SPS-170P12	170W	12V 14.2A	198 x 99 x 50	13	
AC-DC	88~132VAC 175~264VAC	Enclosed	Single	SPS-170P24	170W	24V 7.1A	198 x 99 x 50	2	
AC-DC	88~132VAC 175~264VAC	Enclosed	Single	SPS-170P28	170W	28V 6.1A	198 x 99 x 50	28	
AC-DC	100~240V	Enclosed	Single	SPS-220P-05	200W	5V 40A	198 x 99 x 45	13	V
AC-DC	100~240V	Enclosed	Single	SPS-220P-12	220W	12V 18.4A	198 x 99 x 45	2	V
AC-DC	100~240V	Enclosed	Single	SPS-220P-27	220W	27V 8.2A	198 x 99 x 45	13	V
AC-DC	100~240V	Enclosed	Single	SPS-220P-48	220W	48V 4.6A	198 x 99 x 45	1	V



## Special Offer

Date: Feb 15, 2017

### Notices :

a.) Non-RoHS unit

b.) Please contact our sales dept. ( [sales@sunpower.com.tw](mailto:sales@sunpower.com.tw) ) for quotation, warranty, specification and stock quantity...etc. of PSU

Input	Voltage	Type	Output	Model No.	Watter	Max. Load	Dimension(mm)	Stock	Safety (UL)
AC-DC	100~240V	Enclosed	Single	SPS-230P-05	200W	5V 40A	198 x 99 x 50	7	V
AC-DC	100~240V	Enclosed	Single	SPS-230P-7.5	230W	7.5V 30.7A	198 x 99 x 50	5	V
AC-DC	100~240V	Enclosed	Single	SPS-230P-12	230W	12V 19.2A	198 x 99 x 50	1	V
AC-DC	100~240V	Enclosed	Single	SPS-230P-15	230W	15V 15.4A	198 x 99 x 50	8	V
AC-DC	100~240V	Enclosed	Single	SPS-230P-27	230W	27V 8.6A	198 x 99 x 50	2	V
AC-DC	88~132VAC 175~264VAC	Enclosed	Single	SPS-240P12	240W	12V 20A	198 x 99 x 50	1	
AC-DC	88~132VAC 175~264VAC	Enclosed	Single	SPS-240P48	240W	48V 5A	198 x 99 x 50	2	
AC-DC	100~240V	Enclosed	Single	SPS-320P-05	250W	5V 50A	212 x 115 x 50	2	V
AC-DC	100~240V	Enclosed	Single	SPS-320P-7.5	300W	7.5V 40A	212 x 115 x 50	9	V
AC-DC	100~240V	Enclosed	Single	SPS-320P-15C	320W	15V 21.4A (for charger)	212 x 115 x 50	13	V
AC-DC	100~240V	Enclosed	Single	SPS-320P-48	320W	48V 6.7A	212 x 115 x 50	1	V
AC-DC	100~240V	Enclosed	Single	SPS-600P-15	600W	15V 40A	275 x 125 x 63	1	V
AC-DC	100~240V	Enclosed	Single	SPS-600P-30	600W	30V 20A	275 x 125 x 63	15	V
AC-DC	100~240V	Enclosed	Single	SPS-M060-12	60W	12V 5A	127 x 82 x 35	1	
AC-DC	100~240V	Enclosed	Single	SPS-M060-24	60W	24V 2.5A	127 x 82 x 35	7	
AC-DC	100~240V	Enclosed	Single	SPS-S100-05	80W	5V 16A	159 x 95 x 38	1	
AC-DC	100~240V	Enclosed	Single	SPU-150-3.3	115W	3.3V 35A	198 x 97 x 38	2	
AC-DC	100~240V	Enclosed	Single	SPU-150-05	150W	5V 30A	198 x 97 x 38	1	
AC-DC	100~240V	Enclosed	Single	SPU-150-12	150W	12V 12.5A	198 x 97 x 38	33	
AC-DC	100~240V	Enclosed	Single	SPU-150-15	150W	15V 10A	198 x 97 x 38	21	
AC-DC	100~240V	Enclosed	Single	SPU-150-24	150W	24V 6.5A	198 x 97 x 38	10	
AC-DC	100~240V	Enclosed	Single	SPU-150-48	150W	48V 3.2A	198 x 97 x 38	11	
AC-DC	100~240V	Enclosed	Dual	SPS-035-D2	35W	5V 4A, 24V 1.3A	99 x 82 x 35	15	V
AC-DC	100~240V	Enclosed	Dual	SPS-035-D3	35W	12V 1.5A, -12V 1.5A	99 x 82 x 35	147	V
AC-DC	100~240V	Enclosed	Dual	SPS-035-D4	35W	15V 1.3A, -15V 1.3A	99 x 82 x 35	13	V
AC-DC	100~240V	Enclosed	Dual	SPS-M060-D2	60W	5V 10A, 12V 3A	127 x 82 x 35	3	
AC-DC	100~240V	Enclosed	Dual	SPS-M060-D3	60W	12V 5A, -12V 2.5A	127 x 82 x 35	3	
AC-DC	100~240V	Enclosed	Dual	SPS-M060-D4	60W	15V 4A, -15V 2A	127 x 82 x 35	3	
AC-DC	100~240V	Enclosed	Dual	SPS-060-D1	60W	5V 8A, 12V 4A	159 x 95 x 38	1	V
AC-DC	100~240V	Enclosed	Dual	SPS-060-D2	60W	5V 6A, 24V 2.2A	159 x 95 x 38	1	V



## Special Offer

Date: Feb 15, 2017

### Notices :

a.) Non-RoHS unit

b.) Please contact our sales dept. ( [sales@sunpower.com.tw](mailto:sales@sunpower.com.tw) ) for quotation, warranty, specification and stock quantity...etc. of PSU

Input	Voltage	Type	Output	Model No.	Watter	Max. Load	Dimension(mm)	Stock	Safety (UL)
AC-DC	100~240V	Enclosed	Dual	SPS-060PD1	60W	5V 8A, 12V 4A	159 x 95 x 38	1	V
AC-DC	100~240V	Enclosed	Dual	SPS-060PD3	60W	12V 3.43A, -12V 3.43A	159 x 95 x 38	1	V
AC-DC	100~240V	Enclosed	Dual	SPS-100PD1	100W	5V 12A, 12V 6A	198 x 95 x 38	65	V
AC-DC	100~240V	Enclosed	Dual	SPS-100PD2	100W	5V 10A, 24V 4A	198 x 95 x 38	46	V
AC-DC	100~240V	Enclosed	Dual	SPS-100PD3	100W	12V 4.9A, -12V 4.9A	198 x 95 x 38	106	V
AC-DC	100~240V	Enclosed	Dual	SPS-100PD4	100W	15V 3.92A, -15V 3.92A	198 x 95 x 38	163	V
AC-DC	100~240V	Enclosed	Triple	SPS-060-T1	60W	5V 8A, 12V 3.5A, -5V 1A	159 x 95 x 38	11	V
AC-DC	100~240V	Enclosed	Triple	SPS-060-T2	60W	5V 7A, 12V 3.5A, -12V 1A	159 x 95 x 38	1	V
AC-DC	100~240V	Enclosed	Triple	SPS-060PT4	60W	5V 6A, 12V 1.5A, 24V 1.2A	159 x 95 x 38	1	V
AC-DC	100~240V	Enclosed	Triple	SPS-100-T1	100W	5V 12A, 12V 5A, -5V 1.5A	198 x 95 x 38	20	V
AC-DC	100~240V	Enclosed	Triple	SPS-100-T2	100W	5V 12A, 12V 5A, -12V 1.5A	198 x 95 x 38	1	V
AC-DC	100~240V	Enclosed	Triple	SPS-100-T3	100W	5V 12A, 15V 3A, -15V 1.5A	198 x 95 x 38	16	V
AC-DC	100~240V	Enclosed	Triple	SPS-100PT1	100W	5V 12A, 12V 5A, -5V 1.5A	198 x 95 x 38	118	V
AC-DC	100~240V	Enclosed	Triple	SPS-100PT3	100W	5V 12A, 15V 3A, -15V 1.5A	198 x 95 x 38	34	V
AC-DC	100~240V	Enclosed	Triple	SPS-100PT4	100W	5V 12A, 12V 3A, 24V 2A	198 x 95 x 38	110	V
AC-DC	100~240V	Enclosed	Quad	SPS-060-Q1	60W	5V 7A, 12V 3A, -5V 1A, -12V 1A	159 x 95 x 38	43	V
AC-DC	100~240V	Enclosed	Quad	SPS-060PQ1	60W	5V 7A, 12V 3A, -5V 1A, -12V 1A	159 x 95 x 38	56	V
AC-DC	100~240V	Enclosed	Quad	SPS-100-Q1	100W	5V 12A, 12V 5A, -5V 1A, -12V 1A	198 x 95 x 38	5	V
AC-DC	100~240V	Enclosed	Quad	SPS-100PQ2	100W	5V 12A, 15V 5A, -5V 1A, -15V 1A	198 x 95 x 38	1	V
AC-DC	100~240V	Enclosed	Single	SPU-200-05	200W	5V 40A	203 x 114 x 50	23	
AC-DC	100~240V	Enclosed	Single	SPU-230-12	228W	12V 19A	203 x 114 x 50	9	
AC-DC	100~240V	Enclosed	Single	SPU-230-15	225W	15V 15A	203 x 114 x 50	1	
AC-DC	100~240V	Enclosed	Single	SPU-230P24	230W	24V 9.6A	203 x 114 x 50	1	
AC-DC	100~240V	Enclosed	Dual	SPU-150-D1	150W	7.5V 18A, 5V 3A	198 x 97 x 38	13	
AC-DC	100~240V	Enclosed	Dual	SPU-230-D3	230W	24V 9A, 5V 4A	203 x 114 x 50.5	1	
AC-DC	100~240V	Enclosed	Quad	SPU-150-Q1	150W	5V 25A, 12V 10A, -12V 1.5A, -5V 1A	198 x 97 x 38	1	
AC-DC	100~240V	Enclosed	Quad	SPU-150-Q2	150W	5V 20A, 15V 8A, -15V 1.5A, -5V 1A	198 x 97 x 38	6	
AC-DC	100~240V	Enclosed	Quad	SPU-150-Q4	150W	5V 20A, 15V 4A, -15V 1.5A, -5V 2A	198 x 97 x 38	10	
AC-DC	100~240V	Enclosed	Quad	SPU-230-Q1	230W	5V 35A, 12V 12A, -12V 2A, -5V 2A	203 x 114 x 50.5	15	
DC-DC	9.5~18V	Enclosed	Single	SDS-030A7.5	30W	7.5V 4A	99 x 82 x 35	19	



## Special Offer

Date: Feb 15, 2017

### Notices :

a.) Non-RoHS unit

b.) Please contact our sales dept. ( [sales@sunpower.com.tw](mailto:sales@sunpower.com.tw) ) for quotation, warranty, specification and stock quantity...etc. of PSU

Input	Voltage	Type	Output	Model No.	Watter	Max. Load	Dimension(mm)	Stock	Safety (UL)
DC-DC	9.5~18V	Enclosed	Single	SDS-030A24	30W	24V 1.3A	99 x 82 x 35	3	
DC-DC	9.5~18V	Enclosed	Single	SDS-030A48	30W	48V 0.65A	99 x 82 x 35	70	
DC-DC	9.5~18V	Enclosed	Single	SDS-060A12	60W	12V 5A	159 x 95 x 38	1	
DC-DC	9.5~18V	Enclosed	Single	SDS-060A24	60W	24V 2.5A	159 x 95 x 38	1	
DC-DC	9.5~18V	Enclosed	Single	SDS-060A40	60W	40V 1.5A	159 x 95 x 38	34	
DC-DC	9.5~18V	Enclosed	Single	SDS-060A48	60W	48V 1.3A	159 x 95 x 38	6	
DC-DC	18~36V	Enclosed	Single	SDS-030B3.3	30W	3.3V 7A	99 x 82 x 35	45	
DC-DC	18~36V	Enclosed	Single	SDS-030B48	30W	48V 0.65A	99 x 82 x 35	41	
DC-DC	18~36V	Enclosed	Single	SDS-035B24	35W	24V 1.5A	99 x 82 x 35	1	
DC-DC	18~36V	Enclosed	Single	SDS-060B05	60W	5V 12A	159 x 95 x 38	258	
DC-DC	18~36V	Enclosed	Single	SDS-060B48	60W	48V 1.3A	159 x 95 x 38	15	
DC-DC	18~36V	Enclosed	Single	SDS-100B3.3	83W	3.3V 25A	198 x 95 x 38	25	
DC-DC	18~36V	Enclosed	Single	SDS-100B05	100W	5V 20A	198 x 95 x 38	1	
DC-DC	18~36V	Enclosed	Single	SDS-100B12	100W	12V 8.5A	198 x 95 x 38	50	
DC-DC	18~36V	Enclosed	Single	SDS-100B24	100W	24V 4.2A	198 x 95 x 38	6	
DC-DC	18~36V	Enclosed	Single	SDS-100B48	100W	48V 2.1A	198 x 95 x 38	66	
DC-DC	18~36V	Enclosed	Single	SDS-150B7.5	150W	7.5V 20A	198 x 99 x 50	2	
DC-DC	18~36V	Enclosed	Single	SDS-150B12	150W	12V 12.5A	198 x 99 x 50	13	
DC-DC	18~36V	Enclosed	Single	SDS-200B12	200W	12V 16.7A	198 x 99 x 50	1	
DC-DC	36~72V	Enclosed	Single	SDS-030C12	30W	12V 2.5A	99 x 82 x 35	4	
DC-DC	36~72V	Enclosed	Single	SDS-030C24	30W	24V 1.3A	99 x 82 x 35	9	
DC-DC	36~72V	Enclosed	Single	SDS-035C18	35W	18V 2A	99 x 82 x 35	14	
DC-DC	36~72V	Enclosed	Single	SDS-035C24	35W	24V 1.5A	99 x 82 x 35	1	
DC-DC	36~72V	Enclosed	Single	SDS-060C05	60W	5V 12A	159 x 95 x 38	3	
DC-DC	36~72V	Enclosed	Single	SDS-100C3.3	83W	3.3V 25A	198 x 95 x 38	30	
DC-DC	36~72V	Enclosed	Single	SDS-100C05	100W	5V 20A	198 x 95 x 38	3	
DC-DC	36~72V	Enclosed	Single	SDS-100C12	100W	12V 8.5A	198 x 95 x 38	29	
DC-DC	36~72V	Enclosed	Single	SDS-100C24	100W	24V 4.2A	198 x 95 x 38	82	
DC-DC	36~72V	Enclosed	Single	SDS-100C48	100W	48V 2.1A	198 x 95 x 38	97	
DC-DC	36~72V	Enclosed	Single	SDS-150C05	150W	5V 30A	198 x 99 x 50	3	



## Special Offer

Date: Feb 15, 2017

### Notices :

a.) Non-RoHS unit

b.) Please contact our sales dept. ( [sales@sunpower.com.tw](mailto:sales@sunpower.com.tw) ) for quotation, warranty, specification and stock quantity...etc. of PSU

Input	Voltage	Type	Output	Model No.	Watter	Max. Load	Dimension(mm)	Stock	Safety (UL)
DC-DC	36~72V	Enclosed	Single	SDS-150C24	150W	24V 6.3A	198 x 99 x 50	4	
DC-DC	36~72V	Enclosed	Single	SDS-230C05	200W	5V 40A	198 x 99 x 50	8	
DC-DC	36~72V	Enclosed	Single	SDS-230C7.5	220W	7.5V 29.4A	198 x 99 x 50	9	
DC-DC	36~72V	Enclosed	Single	SDS-230C12	230W	12V 19.2A	198 x 99 x 50	12	
DC-DC	72~144V	Enclosed	Single	SDS-100D3.3	83W	3.3V 25A	198 x 95 x 38	27	
DC-DC	72~144V	Enclosed	Single	SDS-100D05	100W	5V 20A	198 x 95 x 38	6	
DC-DC	72~144V	Enclosed	Single	SDS-100D12	100W	12V 8.5A	198 x 95 x 38	26	
DC-DC	72~144V	Enclosed	Single	SDS-100D24	100W	24V 4.2A	198 x 95 x 38	2	
DC-DC	72~144V	Enclosed	Single	SDS-100D48	100W	48V 2.1A	198 x 95 x 38	73	
DC-DC	72~144V	Enclosed	Single	SDS-150D05	150W	5V 30A	198 x 99 x 50	5	
DC-DC	72~144V	Enclosed	Single	SDS-150D7.5	150W	7.5V 20A	198 x 99 x 50	4	
DC-DC	72~144V	Enclosed	Single	SDS-150D48	150W	48V 3.2A	198 x 99 x 50	2	
DC-DC	72~144V	Enclosed	Single	SDS-230D12	230W	12V 19.2A	198 x 99 x 50	2	
DC-DC	72~144V	Enclosed	Single	SDS-230D24	230W	24V 9.6A	198 x 99 x 50	39	
DC-DC	72~144V	Enclosed	Single	SDS-230D48	230W	48V 4.8A	198 x 99 x 50	32	
DC-DC	72~144V	Enclosed	Single	SDS-320D12	230W	12V 19.2A	198 x 99 x 50	2	
DC-DC	19~32V	Enclosed	Single	SDU-150B05	150W	5V 30A	197 x 97 x 38	3	
DC-DC	19~32V	Enclosed	Single	SDU-150B12	150W	12V 12.5A	197 x 97 x 38	8	
DC-DC	19~32V	Enclosed	Single	SDU-150B24	150W	24V 6.5A	197 x 97 x 38	32	
DC-DC	19~36V	Enclosed	Single	SDU-230B05	200W	5V 40A	203 x 114 x 50	6	
DC-DC	19~36V	Enclosed	Single	SDU-230B12	230W	12V 19A	203 x 114 x 50	2	
DC-DC	19~36V	Enclosed	Single	SDU-230B24	230W	24V 9.5A	203 x 114 x 50	21	
DC-DC	36~72V	Enclosed	Single	SDU-150C05	150W	5V 30A	197 x 97 x 38	1	
DC-DC	36~72V	Enclosed	Single	SDU-150C12	150W	12V 12.5A	197 x 97 x 38	7	
DC-DC	36~72V	Enclosed	Single	SDU-150C24	150W	24V 6.5A	197 x 97 x 38	57	
DC-DC	36~72V	Enclosed	Single	SDU-230C05	200W	5V 40A	203 x 114 x 50	8	
DC-DC	36~72V	Enclosed	Single	SDU-230C24	230W	24V 9.5A	203 x 114 x 50	6	
DC-DC	72~144V	Enclosed	Single	SDU-150D24	150W	24V 6.5A	197 x 97 x 38	6	
DC-DC	72~144V	Enclosed	Single	SDU-230D05	200W	5V 40A	203 x 114 x 50	8	
DC-DC	72~144V	Enclosed	Single	SDU-230D12	230W	12V 19A	203 x 114 x 50	8	



## Special Offer

Date: Feb 15, 2017

### Notices :

a.) Non-RoHS unit

b.) Please contact our sales dept.( [sales@sunpower.com.tw](mailto:sales@sunpower.com.tw) ) for quotation, warranty, specification and stock quantity...etc. of PSU

Input	Voltage	Type	Output	Model No.	Watter	Max. Load	Dimension(mm)	Stock	Safety (UL)
DC-DC	72~144V	Enclosed	Single	SDU-230D24	230W	24V 9.5A	203 x 114 x 50	72	
DC-DC	72~144V	Enclosed	Single	SDU-230D48	230W	48V 4.8A	203 x 114 x 50	24	
DC-DC	19~32V	Enclosed	Dual	SDU-150BD2	150W	12V 12A, 5V 3A	198 x 97 x 38	13	
DC-DC	19~32V	Enclosed	Dual	SDU-230BD3	230W	24V 9A, 5V 4A	203 x 114 x 50	34	
DC-DC	19~32V	Enclosed	Quad	SDU-150BQ2	150W	5V 20A, 15V 8A, -15V 1.5A, -5V 1A	198 x 97 x 38	36	
DC-DC	19~36V	Enclosed	Quad	SDU-230BQ2	230W	5V 30A, 15V 10A, -15V 2A, -5V 2A	203 x 114 x 50	12	
DC-DC	36~72V	Enclosed	Quad	SDU-150CQ1	150W	5V 25A, 12V 10A, -12V 1.5A, -5V 1A	198 x 97 x 38	4	
DC-DC	36~72V	Enclosed	Quad	SDU-150CQ2	150W	5V 20A, 15V 8A, -15V 1.5A, -5V 1A	198 x 97 x 38	8	